

### Effectiveness of care measures tracked by HEDIS 3.0

Measure of primary care performance	HEDIS 3.0
Childhood immunization complete by age 2 4 DTP, 3 OPV/IPV, 1 MMR, 3 Hib, 3 HepB	
Adolescent immunizations complete HepB, 2 doses MMR, VZV(CP) and Td booster	
Flu shots for patients over 65	
Smokers advised to quit	
Mammogram within 2 years for women 52–69	
Pap smear within 3 years for women 21–64	
Pregnant women had prenatal care within first 13 weeks	
Women who delivered had post-partum visit within 6 weeks	
Proper treatment of otitis media in children	
Beta blocker treatment after MI	
Diabetic patients had eye exam within year	
F/U within 30 days after hospitalization for mental illness	





Name: \_\_\_\_\_

Patient number: \_\_\_\_\_

## Hospital discharge follow-up flow sheet

Primary care physician \_\_\_\_\_

Date of admission \_\_\_\_\_

Date of discharge \_\_\_\_\_

Discharge diagnosis

MI

Mental illness

Atrial fibrillation

ICD-9 Codes \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

Date seen post-discharge \_\_\_\_\_

Medications post-discharge:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

S:

O:

A:

P:

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date